



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

ANALYTICAL FOOD LABORATORIES  
860 Greenview Drive  
Grand Prairie, TX 75050  
Tiffany Williams Phone: 972 336 0336

BIOLOGICAL

Valid To: October 31, 2018

Certificate Number: 2088.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing 2015 "AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceuticals") accreditation is granted to this laboratory to perform the following tests on food products, facility water, and environmental samples:

**TEST(S)**

**TEST METHOD(S)**

Quantitative Microbiology

Aerobic Plate Count  
Coliforms (Membrane Filtration)  
Enterobacteriaceae (Petrifilm®)  
*Escherichia coli* and Total Coliform (Direct Plate)  
*Escherichia coli* and Total Coliform (MPN)  
*Escherichia coli* and Total Coliform (Petrifilm®)  
*Staphylococcus aureus*  
*Staphylococcus aureus* (Petrifilm®)  
Yeast and Mold (Plate Count)  
Yeast and Mold (Petrifilm®)

FDA BAM Ch 3  
SMEWW 9222 A, B, C  
AOAC 2003.01  
FDA BAM Ch 4  
FDA BAM Ch 4  
AOAC: 991.14, 989.10  
FDA BAM Ch 12  
AOAC: 2003.07, 2003.08, 2003.11  
FDA BAM Ch 18  
AOAC 997.02

Qualitative Microbiology

*Escherichia coli* and Total Coliform (Colilert®)  
*Escherichia coli* O157:H7 (GDS)  
*Escherichia coli* O157:H7 (VIP)  
*Listeria monocytogenes* (Cultural Confirmation)  
*Listeria monocytogenes* (GDS)  
*Listeria monocytogenes* (VIDAS)  
*Listeria* spp. (GDS)  
*Listeria* spp. (VIDAS)  
*Salmonella* (Cultural Confirmation)  
*Salmonella* (VIDAS)

SMEWW 9223 A, B; AOAC 991.15  
AOAC 2005.04  
AOAC 996.09  
FDA BAM Ch 10  
AOAC RI 070702  
AOAC 2004.02  
AOAC RI 070701  
AOAC 2004.06  
FDA BAM Ch 5  
AOAC: 2004.03, 2011.03

CHEMICAL

**TEST(S)**

Fat (Soxhlet)  
Moisture (Gravimetric)  
Protein (Titration)  
Salt (Volhard)  
Total Organic Carbon (Membrane Conductometric)

**TEST METHOD(S)**

USDA FSIS CLG FAT Modified; AOAC Am 504  
USDA FSIS CLG MOI  
FOSS Kjeltex 8400  
USDA FSIS CLG SLT  
Sievers 900 TOC Method

Key:

AOAC: International Association of Analytical Communities

FDA BAM: FDA Bacteriological Analytical Manual

SMEWW: Standard Methods for the Examination of Water and Wastewater

A handwritten signature in black ink, appearing to be 'L. S.', located at the bottom center of the page.



## Accredited Laboratory

A2LA has accredited

### ANALYTICAL FOOD LABORATORIES

*Grand Prairie, TX*

for technical competence in the field of

### Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 - *Specific Requirements - Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009*).



Presented this 20<sup>th</sup> day of July 2017.

A handwritten signature in black ink, written over a horizontal line.

President and CEO  
For the Accreditation Council  
Certificate Number 2088.01  
Valid to October 31, 2018  
Revised September 13, 2017

*For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.*